



School and Child Care Illness Policy

General Exclusion Requirements

Children and staff must be excluded from schools and child care facilities when they have certain symptoms of illness, including if they are unable to participate or perform the functions required for their position.

- A "child" means any child enrolled in the child care program or a student at a school.
- A "staff member or staff" means any person working or volunteering to perform duties in a child care facility or school.

Symptoms that require exclusion are listed in the attached document, *How Sick is Too Sick? When Children and Staff Should Stay Home from Child Care* (How Sick is Too Sick). The Colorado Department of Public Health and Environment's *Infectious Diseases in Child Care and School Settings* (Infectious Disease Guide) will be used to determine exclusion for symptoms of illness not included in How Sick is Too Sick.

Excluding Children

Staff are responsible for observing children at drop off and throughout the day for signs of illness. If a child arrives at the facility or school with signs of illness that require exclusion they may not be accepted. If a child develops symptoms of illness that require exclusion during the time of care, the parent/guardian will be contacted to pick up the child. The child will be provided with a place to rest which is separate from the other children until the parent/guardian arrives. The child may return to child care or school based on the requirements in How Sick is Too Sick, the Infectious Disease Guide, or as directed by their health care provider or public health professional.

Information will be recorded on an illness log when children are sent home due to symptoms of illness that require exclusion. All items used to care for the child (cot, bedding etc.) will be cleaned and sanitized or cleaned and disinfected if contaminated by body fluids after the child leaves the child care or school. The date and time when the child returns to the child care facility or school will be recorded on the illness log.

Excluding Staff

The person in charge of staff is responsible for observing the staff for signs of illness throughout the day. Staff members have the responsibility of reporting, to the person in charge, any signs of infection or illness that may pose a hazard to the health of children and other staff. If a staff member is not well enough to work they may return based on the requirements in How Sick is Too Sick, the Infectious Disease Guide, or as directed by their health care provider or public health professional.



Outbreaks

When a school or child care facility has a child or staff member with an illness that is required to be reported to the health department, the health department will be contacted immediately. Outbreaks of illness must also be reported to the health department when there is a larger number than normal of children or staff ill with the same symptoms. For example, above normal seasonal absenteeism for a school or child care facility would be concerning and the health department will be contacted. The health department will also be contacted when there are two or more people that do not live together who are ill with symptoms including vomiting, diarrhea, or jaundice.

Food Handling Staff Exclusion Requirements

Special attention will be given to staff members that handle food because many illnesses can be spread through food from an infected person. Food handling activities include preparation of any food (i.e. washing, cutting, cooking, and portioning), the mixing and feeding of bottles, and feeding infants and toddler's solid foods. Food handling staff must notify the person in charge:

1. If they exhibit any of the following symptoms:
 - a. Vomiting;
 - b. Diarrhea;
 - c. Jaundice;
 - d. Sore throat with fever; or
 - e. Any open or draining wound that is not covered with a water proof bandage and is:
 - i. On the hands or wrists*;
 - ii. On any exposed portions of the arms; or
 - iii. On other parts of the body.

* In addition to water proof bandages covering wounds on hands and wrists, single service gloves must be worn at all times when handling food.

2. Has an illness diagnosed by a health care provider due to:
 - a. Norovirus
 - b. Hepatitis A virus
 - c. Shigella
 - d. Shiga Toxin Producing Escherichia Coli (e-coli)
 - e. Typhoid fever (caused by Salmonella Typhi) or
 - f. Salmonella
3. Has been exposed to, or is the suspected source of, a confirmed disease outbreak or living in the same household as someone who works or attends a setting where there is a confirmed outbreak.

Staff will be allowed to return to work based on requirements in How Sick is Too Sick, the Infectious Disease Guide, as directed by the health department, or as directed by a health care provider, or public health professional.



How Sick is Too Sick?

When Children and Staff Should Stay Home from School or Child Care

Evaluation of a sick child must consider which diseases are currently circulating among students, staff, and the community. Known exposure to cases or an outbreak of a contagious disease (including but not limited to those listed here), even without a confirmed diagnosis, may necessitate more stringent return to school requirements.

During Colorado's ongoing response to the COVID-19 pandemic, children and staff who have symptoms consistent with COVID-19 should receive testing, and follow the [COVID-19 isolation guidance](#) until testing is completed or if they test positive. If the individual tests negative for COVID-19, the individual should then follow the recommendations for their disease or symptoms using the below guidance.

There are four main reasons to keep children and adults at home:

1. The child or staff is at risk of infecting others with COVID-19 or another contagious illness, either because of symptoms or recent close contact.
2. The child or staff member does not feel well enough to take part in usual activities. For example, a child is overly tired, fussy or will not stop crying.
3. A child needs more care than teachers and staff can give while still caring for the other children.
4. The child or staff member has symptoms or an illness is on this list, and staying home is required.





Guidance for COVID-19 Symptoms	Child or staff member must stay home?
<p>COVID-19 symptoms which <i>must be fully resolved</i> before a child or staff member returns to school</p> <ul style="list-style-type: none"> ● Feeling Feverish, having chills or Fever (Temperature of 100.4°F or greater. Babies who are 4 months or younger need to see a doctor right away for a fever of 100°F or higher) ● Shortness of breath or difficulty breathing ● Nausea, Vomiting/Throwing Up ● Diarrhea (Frequent, loose, or watery stools (poop) compared to normal ones that are not caused by food or medicine) ● Cough* 	<p>Yes - These symptoms are often present in individuals with COVID-19 and other contagious infectious disease, and a person with any of these symptoms (whether new or worsening from baseline) should first receive a diagnostic test for COVID-19.</p> <p>When to seek emergency medical attention</p> <ul style="list-style-type: none"> ● Trouble breathing ● Persistent pain or pressure in the chest ● New confusion ● Inability to wake or stay awake ● Pale, gray, or blue-colored skin, lips or nail beds, depending on skin tone <p>These are not all possible symptoms. Please call your medical provider for any other symptoms that are severe or concerning to you. Call 911 or call ahead to your local emergency facility. Notify the operator that you are seeking care for someone who has or may have COVID-19.</p> <p>If all symptoms are consistent with the usual symptoms of a known chronic condition and the child is otherwise well enough to return to school, no further evaluation is necessary.</p> <p>If the test is positive, or the individual has not yet been tested, the individual should follow CDPHE’s isolation guidance, https://covid19.colorado.gov/isolation-and-quarantine. Further guidance for the school or child care can be found at https://covid19.colorado.gov/practical-guide-for-operationalizing-cdc-school-guidance.</p> <p>If the test is negative AND the symptoms are explained by a specific illness other than COVID-19, then the child or staff can return to school or child care following exclusion guidelines for that illness.</p> <p>If the test is negative and the illness is not explained by a new illness or a known chronic condition, the ill individual should still stay home until symptoms have been resolved for at least 24 hours without medication.</p> <p>*Students and staff may return if the cough is not fully resolved following discussion with a care provider.</p>
<p>COVID-19 symptoms which <i>must be improving</i> before a child or staff member returns to school or child care</p>	<p>Yes - These symptoms are often present in individuals with COVID-19, and a person with any of these symptoms (whether new or worsening from baseline) should receive a diagnostic test for COVID-19. If all symptoms are consistent with the usual symptoms of a known chronic condition and</p>





<ul style="list-style-type: none"> ● Sore throat ● Runny nose or congestion ● Muscle or body aches ● Headache ● Fatigue ● New Loss of Taste or Smell** 	<p>the child is otherwise well enough to return to school, no further evaluation is necessary.</p> <p>If the diagnostic COVID test is positive, or the individual has not yet been tested, the individual should follow CDPHE’s isolation guidance, https://covid19.colorado.gov/isolation-and-quarantine. Further guidance can be found at https://covid19.colorado.gov/practical-guide-for-operationalizing-cdc-school-guidance.</p> <p>If the diagnostic test is negative and the symptoms are explained by a specific illness other than COVID-19, then the child or staff can return to school or child care following exclusion guidelines for that illness.</p> <p>If the COVID test is negative and the illness is not explained by a new illness or a known chronic condition, the ill individual may return to school as long as all symptoms are improving and cough, shortness of breath, fever, diarrhea and vomiting have fully resolved.</p> <p>**Loss of taste or smell can persist for weeks or months. This condition does not need to be resolved or improving before an individual returns to school or care.</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------





Guidance for Symptoms Not Due to a Specific Disease, Following a Negative COVID Test	Child or staff must stay home?
<p>Diarrhea Frequent, loose, or watery stools (poop) compared to normal ones that are not caused by food or medicine.</p>	<p>Yes - Unless the diarrhea is related to an existing chronic condition, is explained by a diagnosed condition not requiring the person to stay home, or is consistent with the person's baseline.</p> <p>The child or staff member may return to school or child care 24 hours after their last episode of diarrhea unless the diarrhea is caused by an illness that requires them to stay home longer. If the diarrhea is explained by a specific illness, then the child or staff can return to school or child care following exclusion guidelines for that illness.</p>
<p>Fever Fever is a temperature of 100.4°F or greater. Babies who are 4 months or younger need to see a doctor right away for a fever of 100°F or higher.</p>	<p>Yes - The child or staff member may return to school or child care if the fever has been resolved for 24 hours without fever reducing medications unless the fever is caused by an illness that requires them to stay home longer. If the fever is explained by a specific illness COVID-19, then the child or staff can return to school or child care following exclusion guidelines for that illness.</p>
<p>Flu-like Symptoms Fever Sore throat Runny nose or congestion</p>	<p>Yes - Children and staff may return to school or child care as long as they are fever-free for 24 hours without the use of fever-reducing medications and other symptoms are improving, unless the symptoms are caused by an illness that requires them to stay home longer. If the symptoms can be explained by a specific illness, then follow the exclusion guidelines for that illness.</p> <p>In consultation with a healthcare provider, additional evaluation for flu-like illnesses, sore throat, and upper respiratory symptoms may be appropriate, including evaluation for strep throat.</p>
<p>Vomiting/Throwing Up</p>	<p>Yes - Unless the vomiting is related to an existing chronic condition or is explained by a diagnosed condition not requiring the person to stay home. If the vomiting is unexplained and inconsistent with the person's baseline state of health, the child or staff member may return 24 hours after their last episode of vomiting. If the vomiting can be explained by a specific illness, then follow the exclusion guidelines for that illness.</p> <p>If a child with a recent head injury vomits, seek medical attention.</p>





Guidance for Specific Diagnosed Illnesses	Child or staff must stay home?
Chicken Pox	Yes - until the blisters have dried and crusted (usually 6 days), or in immunized people without crusting, until no lesions within 24 hour period.
Conjunctivitis (pink eye) Pink color of eye and thick yellow/green discharge	No - children and adults do not need to stay home unless they have a fever or are not able to participate in usual activities. Call your doctor for advice and possible treatment.
COVID-19 (clinical diagnosis, symptoms without testing, or a positive diagnostic test)	Yes - children and staff who have suspected COVID-19 or who have been diagnosed with COVID-19 must be excluded and follow CDPHE's isolation guidance . Guidance for schools and child care settings can be found here: https://covid19.colorado.gov/cases-and-outbreaks-child-care-schools .
Fifth's Disease (parvovirus)	No - the illness is no longer contagious once the rash appears.
Hand Foot and Mouth Disease (Coxsackie virus)	No - unless the child or adult has mouth sores, has uncontrollable drooling or is not able to take part in usual activities.
Head Lice or Scabies	Yes - children may stay at school or child care until the end of the day but cannot return until after they have had the first treatment.
Hepatitis A, Salmonella, Shigella, or Shiga-toxin Producing E. coli	Yes - children and staff may return to school or child care when cleared by the health department.
Herpes	No - unless there are open sores that cannot be covered or there is uncontrollable drooling.
Impetigo	Yes - children and adults need to stay home until 24 hours after antibiotic treatment has started.
Ringworm	Yes - children may stay at school or child care until the end of the day but cannot return until after they have had the first treatment. Keep the area covered for the first 3 days if participating in activities with person to person contact.
Roseola	No - unless there is a fever or behavior changes.
Influenza	Yes - Children and staff should remain out of school or child care until they are fever-free for 24 hours without the use of fever-reducing medications and other symptoms have been improving for 24 hours.
Croup, RSV (Respiratory	No - It is recommended that children and staff remain out of school or





Syncytial Virus)	child care until they are fever-free for 24 hours without the use of fever-reducing medications and other symptoms have been improving for 24 hours.
Strep Throat	Yes - for 12 hours after starting antibiotics unless the doctor says that it is okay to return to school sooner.
Other Vaccine Preventable Diseases Measles, Mumps, Rubella (German Measles), Pertussis (Whooping Cough)	Yes - Children and staff can return to school once they are no longer contagious (see Infectious Disease Guidelines). Public health consultation may be necessary.
Yeast Infections Thrush or Candida diaper rash	No - follow good hand washing and hygiene practices.
Other Symptoms or illnesses not listed	Contact the child care center director or school health staff to see if the child or staff member needs to stay home (see Infectious Disease Guidelines).

This document was developed in collaboration with pediatricians, medical epidemiologists and public health professionals.

The information presented is intended for educational purposes only. It is not intended to take the place of your personal doctor’s advice and is not intended to diagnose, treat, cure or prevent any disease. The information should not be used in place of a visit, call or consultation or advice of your doctor or other health care provider.

References

American Academy of Pediatrics. *Managing Infectious Diseases in Child Care and Schools: A Quick Reference Guide*. Aronson SS, Shope TR, eds. 5th ed. Itasca, IL: American Academy of Pediatrics; 2020.20.
 Colorado Department of Public Health and Environment. *Infectious Diseases In Child Care and School Settings: Guidelines for Child Care Providers and Health Consultants, School Nurses and Other Personnel*. 2022.
 Colorado Department of Public Health and Environment. COVID-19 Resources. <https://covid19.colorado.gov/>. October 7, 2020.

Updated March 2022

